

+55 (19) 2105-6161 comex@tecnal.com.br



SHAKER / HOMOGENEIZER IN 'V' TE-200/5

Used to homogenize samples in powder or granules, such as fertilizers.



João Leonardo Fustaino, nº 325 Distrito Industrial Uninorte Piracicaba/SP-Brasil • CEP 13.413-102



Technical Characteristics

TE-200/5

- Agitation range: 360°;
- Homogenizer: Built in 304 stainless steel with polished finish, internal and external;
- Gearmotor: Induction with fixed rotation of 28 ± 2 RPM:
- Covers: In polished stainless steel 304, removable,
 Note: The reported usable volume is based on a with silicone seal;
- Total volume: 09 Liters;
- Cabinet: In carbon steel with anti-corrosive treatment and electrostatic painting;
- Overall dimensions: $W = 830 \times D = 420 \times H = 750$ mm;

- Weight: 30 kg;
- Power: 245 W;
- Voltage: 220V +/-5% 60Hz;
- Accompanies: 02 extra fuses Instruction Manual with Warranty Term;
- product with density 0,84Kg/dm3;
- · Comments: See other models with different volumes:
- Usable volume: 03 liters;

Benefits and Advantages

- Sample inlets with easy access (easy to open flanges)
- Polished 304 stainless steel on the inside and outside, for longer service life
- Brushless induction motor, which can be used for long periods
- Strict Quality Control, in which checks and tests guarantee the perfect functioning of the equipment, providing safety and customer satisfaction
- Customer service, to answer questions and provide explanations about the equipment and methodologies
- · Possibility of adaptations according to the needs of the customer, makes the equipment already in line a special equipment.

