

+55 (19) 2105-6161 comex@tecnal.com.br



GREENHOUSE FOR DRYING AND LEAVES AND SOILS W AIR TE-394/5-MP

Used for drying soil and leaves.



João Leonardo Fustaino, nº 325 Distrito Industrial Uninorte Piracicaba/SP-Brasil • CEP 13.413-102



Technical Characteristics

TE-394/5-MP

- Temperature: Ambient +7°C to 70°C;
- Temperature control: Micro-processed digital with PID system and RBC calibration certificate;
- Sensor: Type J;
- Control accuracy: ±1°C;
- Uniformity: ±4°C;
- Capacity: Cart for 11 trays 145 mm apart;
- Circulation system: Internal ventilation in horizontal direction;
- Insulation: All in polystyrene foam;
- Security: Overheating protection system;
- Gasket: Molded silicone door;

- Inner chamber: in polished stainless steel;
- Cabinet: In carbon steel with anti-corrosive treatment and electrostatic painting;
- Internal Dimensions: W=1070 X W=770 X H=1840 MM;
- Volume: 1,516 LITERS;
- External dimensions: W=1510 x D=910 x H=1870 mm;
- Power: 2650 Watts;
- Voltage: 220 Volts;
- ACCOMPANIES: Calibration certificate Cart with 11 trays - Instruction manual with warranty term;
- Weight: 315 KG;





Benefits and Advantages

- Polished stainless steel bowl and tray for longer equipment life
- Horizontally forced air distribution system for better heat exchange
- PID control system with easy-to-interact controller with RBC certificate
- Standardized external panel with easy access for maintenance
- Magnetic clasp for agility and practicality
- Cart for tray accommodation and sample transport to facilitate the process
- High volume of samples: up to 70kg distributed in 11 trays
- Thermal insulation with ceramic fiber and glass wool
- Swivel castors to facilitate the transport of equipment
- Mechanical and digital protection system against overheating ensuring safety
- Movable bottom seal: for transport it is raised and when static it can be lowered to maintain the internal temperature
- Visual sign of heating providing practicality
- Industrial type electrical plug
- Stainless steel armored resistance ensuring safety
- Rigid Quality Control in which checks and tests guarantee the perfect functioning of the equipment providing safety and client satisfaction
- Client service to answer questions and provide explanations about the equipment and methodologies.

